






























ArmadaOberalp SpA - Via Wattraud Gebert Deeg, 4 - 39100 Bolzano (BZ)
tel. 0471242900 - fax 0471200701 - www.armadaskis.com - www.oberalp.it - info@oberalp.it





	MODELLO	€	ATTACCO	RAGGIO m	SCIANCRASTURA mm	LUNGHEZZE cm
LTD SERIES						
	Alpha 1	555	-	14 (176)	95-112-82-101-86 (176)	170-176-182
	Pipe Cleaner	539	-	19 (176)	118-85-108 (176)	166-171-176-181
	Arg	649	-	-	125-135-133-134-120	185
	Triumph	569	-	16.4 (178)	123-79-110 (178)	164-171-178-185
SIGNATURE SERIES						
	JJ and Ak JJ	599 629	-	12 (175)	126-136-115-133-123 (175)	165-175-185-195
	TST	589	-	14.7 (174)	118-131-101-122 (174)	156-165-174-183-192
	Thall	499	-	19.5 (171)	118-85-108 (171)	166-171-176-181
AR SERIES						
	Halo	499	-	14 (176)	95-112-82-101-86 (176)	170-176-182
	AR 7	489	-	19.5 (171)	118-85-108 (171)	161-166-171-176-181
	ARV	559	-	20.5 (175)	125-92-114 (175)	165-175-185
	El Rey	389	-	17.5 (171)	121-85-111 (171)	157-164-171-178-185
	Coda	299	-	12 (143)	111-76-101 (143)	136-143-150
	Bantam	189	-	10 (115)	93-68-86 (115)	105-115-125
WOMAN SERIES						
	VJJ	599	-	12 (165)	126-136-115-133-123 (165)	165-175
	TSTw	589	-	12.6 (165)	117-130-100-121 (165)	156-165-174
	ARVw	559	-	19	120-89-109	165
	Cantika	389	-	14 (157)	117-81-107 (157)	150-157-164
	ARW	479	-	17.5 (161)	116-83-106 (161)	161-166
	Makai	299	-	11 (136)	108-74-98 (136)	136-143
	Kirti	189	-	10 (115)	93-68-86 (115)	105-115-125

AtomicAmer Sports Italia - Via Priula, 78 31040 - Nervesa della Battaglia (TV)
tel. 04225291 - fax 0422529199 - www.atomicsnow.com - www.amersports.com - amersports-italy@amersports.com








	MODELLO	€	ATTACCO	RAGGIO m	SCIANCRASTURA mm	LUNGHEZZE cm
RACE						
	RS D2 GS	nc	Neox TL 12	27.5 (186)	nc	181-186-191 (RS D2 GS WC), woman 184-183-175

	MODELLO	€	ATTACCO	RAGGIO m	SCIANCATURA mm	LUNGHEZZE cm
	Race TI GS	749	Neox TL 12	15.5 (168)	117-72-102 (168)	154-161-168-175-182
	Race LT	549	XTO 12 Sport	15 (166)	120.5-74-103.5 (166)	150-158-166-174-182
	RS D2 SL	nc	Neox TL 12	12.5 (165)	nc	165-158
	Race TI SL	749	Neox TL 12	11.5 (163)	124.5-70-109 (163)	149-156-163-170
	Race ST	549	XTO 12 Sport	11 (163)	127.5-72-110 (163)	149-156-163-170
	Performer Carbon	409	XTO 10	15 (166)	120.5-72-103.5 (166)	150-158-166-174-182
	Performer Scandium	389	XTO 10 R	15.5 (170)	122-73-102 (170)	154-162-170-178
	Performer Fiber	339	XTO 10 R	14 (164)	119-73-104 (164)	151-157-164-171-177


ALL MOUNTAIN VARIO

	D2 VC 75	999	Neox TL 12	14 (167)	124.5-75-107.5 (167)	157-167-177
	D2 VF 70	790	Neox TL 12	17.2 (174)	114-70-98 (174)	164-169-174-179-184
	D2 VF 72	790	Neox TL 12	16 (172)	115.5-72-103 (172)	156-164-172-180
	D2 VF 82	790	Neox TL 12	13 (174)	124-82-111 (174)	158-166-174-182
	D2 VF 75	629	Neox TL 12	13 (166)	126-75-111 (166)	148-157-166-175
	D2 VF 73	529	XTO 12	13.5 (167)	120-73-105 (167)	151-159-167-175
	Vario Carbon	409	XTO 10 R	15 (166)	120.5-74-103.5 (166)	150-158-166-174-182
	Vario Scandium	389	XTO 10 R	15.5 (170)	122-73-102 (170)	154-162-170-178
	Vario Fiber	339	XTO 10 R	14 (164)	119-73-104 (164)	151-157-164-171-177

ALL MOUNTAIN NOMAD





	Savage TI	829	XTO 14	18 (177)	134-93-120.1 (177)	168-177-186
	Crimson TI	729	XTO 14	17 (178)	131.5-88-117 (178)	164-171-178-185
	Blackeye TI	629	XTO 14	16 (174)	125.5-82-110.5 (174)	160-167-174-181
	Blackeye	529	XTO 12	16 (174)	125.5-82-110.5 (174)	160-167-174-181
	Smoke TI	529	XTO 12	14.5 (164)	121-77-105 (164)	150-157-164-171-178
	Colt	459	XTO 10 R	14.5 (164)	121-77-105 (164)	150-157-164-171-178
	Smoke	429	XTO 10R	14.5 (164)	121-77-105 (164)	150-157-164-171-178

ALL MOUNTAIN TWIN TIPS



	Coax	629	FFG 14+	22 (183)	137-105-128 (183)	174-183-192
	Theory	529	FFG 14+	19 (177)	130-95-119 (177)	168-177-186
	Panic	459	FFG 12++	17 (165)	121.5-87-112 (165)	149-157-165-173-181
	Trooper	329	EVOX 10++	16 (160)	122-85-112	140-150-160-170

MODELLO	€	ATTACCO	RAGGIO m	SCIANCATURA mm	LUNGHEZZE cm
---------	---	---------	-------------	-------------------	-----------------







FREE SKI POW

	Atlas	749	FFG 16 Team	28 (192)	150-125-132 (192)	182-192
	Bent Chetler	749	FFG 16 Team	20 (192)	144.5-123-136.5 (192)	182-192
	Blog	689	FFG 14 Team	19 (185)	134-110-126 (185)	177-185
	Access	489	FFG 14+	18 (171)	128.5-100-120.5 (171)	151-161-171-181-191




FREE SKI PARK & PIPE

	Patent	629	FFG 14+	19 (184)	129-95-129 (184)	175-184
	Punx	539	FFG 16 Team	20 (173)	110.5-82-110.5 (173)	155-164-173-182


WOMEN

	Cloud D2 75	599	Neox TL 10	12 (157)	122-75-109 (157)	148-157-166
	Cloud D2 73	529	XTO 10 Lady	13.5 (159)	118-73-103 (159)	143-151-159-167
	Cloud 9	479	XTO 10 R	12 (158)	121-73-106 (158)	144-151-158-165
	Cloud 8	429	XTO 10 R	12 (158)	121-73-106 (158)	144-151-158-165
	Cloud 7	389	XTO 10 R	13 (156)	116.5-70-99 (156)	142-149-156-163
	Cloud 6	349	XTO 10 R	13 (156)	116.5-70-99 (156)	142-149-156-163

WOMEN ALL MOUNTAIN

	Affinity Storm	529	XTO 10 Lady	15.2 (159)	127.5-84-107 (159)	151-159-167
	Affinity Pure	449	XTO 10 Lady	14 (154)	122-79-101 (154)	142-148-154-160
	Affinity Air	349	XTO 10 Lady	13 (152)	120-74-99 (152)	140-146-152-158







WOMEN ALL MOUNTAIN TWIN TIPS




	Elysian	529	FFG 12++	17.1 (159)	126-95-115 (159)	150-159-168
	Supreme	409	FFG 12++	16 (157)	120-87-110.5 (157)	149-157-165

WOMEN POW

	Century	489	FFG 12++	18 (166)	128.5-100-120.5 (166)	146-156-166-176
--	----------------	-----	----------	----------	-----------------------	-----------------

JUNIOR




	Race 10 JR	279	XTL 9	10 (130)	107-65-90 (130)	115-120-125-130
	Race JR	190	EVOX 7++	7 (100)	100.5-65-84 (100)	70-80-90-100-110-120-130-140-150
	Nomad JR	169	EVOX 7+	13 (140)	107-65-88 (140)	120-130-140-150
	Rascal	169	EVOX 7+	5 (90)	100-65-84 (90)	70-80-90-100-110-120-130-140-150
	Elysian JR	159	EVOX 7	13 (140)	107-65-88 (140)	120-130-140-150
	Sweet Stuff	139	EVOX 45	5 (90)	100-65-84 (90)	70-80-90-100-110

	MODELLO	€	ATTACCO	RAGGIO m	SCIANCRAURA mm	LUNGHEZZE cm
	Bent Chetler Mini	329	EVOX 10++	12 (143)	124-90- 115.5 (143)	133-143-153
	Spike	249	EVOX 10++	17 (130)	99-78- 91 (130)	110-120- 130-140
	Century JR	219	EVOX 7	15.6 (130)	106-80- 98 (130)	110-120-130- 140-150

Black Diamond

Black Diamond - Christoph Merian Ring, 7 - 4153 Reinach, Switzerland






tel. 41/615643333 - fax 41/615643334 - www.blackdiamondequipment.com - climb@blackdiamond.eu






	MODELLO	€	ATTACCO	RAGGIO m	SCIANCRAURA mm	LUNGHEZZE cm
	Zealot	699	-	27 (182)	135-110- 123 (182)	182-192
	Amp	649	-	21 (175)	141-115- 123 (175)	165-175-185
	Element	649	-	20 (175)	139-115- 123 (165)	165-175





Blizzard

Tecnica Group SpA - Via Fante d'Italia, 56 - 31040 Gaiava del Montello (TV)

tel. 0422884488 - fax 0422884010 - www.blizzard-ski.com - www.tecnicagroup.com - skiblizzard@dolomite.it

	MODELLO	€	ATTACCO	RAGGIO m	SCIANCRAURA mm	LUNGHEZZE cm
FREESKI FREE MOUNTAIN						
	Bodacious	839	-	32 (186)	142-118-132	186-196
	Cochise	769	-	28.5 (185)	135-108-193	177-185-193
	Bonafide	699	-	21 (180)	135-98-118	166-173- 180-187
	Bushwacker	599	-	19 (180)	125-88-110	159-166- 173-180
	Black Pearl	599	-	17 (166)	123-88-108	159-166-173

	MODELLO	€	ATTACCO	RAGGIO m	SCIANCRAURA mm	LUNGHEZZE cm
FREESKI FREESTYLE						
	The Answer IQ-Max	1.029	IQ-Max 12 Cm-10	28 (184)	135-110-125	177-184-191
	The One IQ-Max	839	IQ-Max 12 Cm-10	17.5 (177)	132-98-122	156-163-170- 177-184
	The Crush IQ-Max	839	IQ-Max 12 Cm-10	16 (170)	132-98-122	156-163- 170-177
	The Truth	469	-	17.5 (170)	121-86-110	156-163- 170-177
	The Prime	399	-	17.5 (170)	120-84-109	149-156-163- 170-177

	MODELLO	€	ATTACCO	RAGGIO m	SCIANCRAURA mm	LUNGHEZZE cm
FREESKI MOUNTAINEERING						
	Mountain Attack	629	-	24	98-65-78	161
	Mountain Expedition	529	-	17.5 (167)	112-74-96	149-158- 167-176
	Mountain Free Cross	449	-	22 (170)	113-78-100	156-163- 170-178
	Mountain Revolution	259	-	15 (160)	116-74-102	146-153- 160-167

MODELLO	€	ATTACCO	RAGGIO m	SCIANCATURA mm	LUNGHEZZE cm
---------	---	---------	-------------	-------------------	-----------------

RACING FIS RACE



SL Race Full Suspension	1.199	Marker Comp 16/20.0 Eps	Norme Fis	118-67-103	165
SL Race Suspension	1.099	Marker Comp 16/20.0 Eps	Norme Fis	118-67-103	156-165
GS Race Full Suspension	1.199	Marker Comp 16/20.0 Eps	Norme Fis	104-69-90	176-182-186-190
GS Race Suspension	1.099	Marker Comp 16/20.0 Eps	Norme Fis	104-69-90	176-182-186-190

RACING FIS RACE JUNIOR



SL Race Jr	538	Marker Comp 10/12.0 Eps	10.5 (136)	109-64-94	122-129-136-143-150
GS Race Full Suspension Jr	899	Marker Comp 12/16.0 Eps	14.5 (163)	104-65-89	163-170
GS Race Jr	538	Marker Comp 10/12.0 Eps	14.5 (156)	104-65-89	135-142-149-156-163-170

RACING RACE



S-Power Full Suspension IQ	1.199	IQ Power 14/ IQ Power 12	13.5 (167)	121-68-105	160-167-174
R-Power Full Suspension IQ	1.199	IQ Power 14/ IQ Power 12	17.5 (174)	113-68-97	167-174-181
SLR Magnesium IQ	879	IQ TP 14/ IQ TP 12	13.5 (167)	121-68-105	153-160-167
GSR Magnesium IQ	879	IQ TP 14/ IQ TP 12	17.5 (174)	113-68-97	167-174-181
GTR Sport Full Suspension IQ	749	IQ Power 11	15 (167)	117-70-101	153-160-167-174
RCS IQ	639	IQ TP 11	15 (167)	117-70-101	153-160-167-174
RCC IQ	499	IQ LT 10	14 (167)	120-71-104	153-160-167-174

ALL MOUNTAIN G-FORCE



G-Power Full Suspension	1.199	IQ Power 14/ IQ Power 12	15.5 (174)	123-72-105	160-167-174-181
G-Force Supersonic IQ	879	IQ TP 14/ IQ TP 12	15.5 (174)	123-72-105	160-167-174-181
G Force Ultrasonic Sport Full Susp. IQ	749	IQ Power 11	15 (167)	121-73-105	153-160-167-174
G-Force Sonic IQ	639	IQ TP 11	15 (167)	121-73-105	153-160-167-174
G-Force Three IQ	499	IQ LT 10	14 (167)	120-71-104	146-153-160-167-174
G-Force Sport IQ	379	IQ LT 10	16 (165)	117-72-99	140-145-150-155-160-165-170-175

ALL MOUNTAIN MAGNUM



Magnum 8.7 Power Full Susp. IQ-Max	1.199	IQ Power 14/ IQ Power 12	18.5 (174)	128-87-113	167-174-181
Magnum 8.7 TI IQ-Max	1.059	IQ Max 12 Cm-90	18.5 (174)	128-87-113	167-174-181
Magnum 8.1 TI IQ-Max	939	IQ Max 12 Cm-90	17 (172)	123-81-108	158-165-172-179
Magnum 7.6 IQ	639	IQ SP 11	14 (167)	122-76-105	149-156-163-170-177
Magnum 7.4 IQ	499	IQ LT 10	14 (163)	121-74-104	149-156-163-170
Magnum Cross IQ	439	IQ LT 10	15 (165)	121-76-104	145-150-155-160-165-170-175



MODELLO	€	ATTACCO	RAGGIO m	SCIANCRAURA mm	LUNGHEZZE cm
VIVA					
Viva 8.1 IQ-Max	839	IQ Max 12 Cm-90	15 (158)	121-81-106	151-158-165
Viva Ultrasonic Sport Full Susp. IQ	749	IQ Power 11 Viva	14 (160)	119-73-103	153-160-167
Viva 7.6 IQ	639	IQ SP 11 Viva	13 (156)	122-76-105	142-149-156-163
Viva 7.4 IQ	499	IQ LT 10 Viva	13 (156)	119-74-102	142-149-156-163
Viva Cross IQ	439	IQ LT 10 Viva	14 (155)	119-76-102	145-150-155-160-165
Viva Sport IQ	379	IQ LT 10 Viva	15 (155)	115-72-97	145-150-155-160-165



MODELLO	€	ATTACCO	RAGGIO m	SCIANCRAURA mm	LUNGHEZZE cm
JUNIOR					
GS IQ JR	194	IQ 7/IQ 4.5	9 (130)	107-68-95	70-80-90...140-150
Magnum IQ JR	194	IQ 7/IQ 4.5	9 (130)	107-68-95	70-80-90...140-150
Viva IQ JR	194	IQ 7/IQ 4.5	9 (130)	107-68-95	70-80-90...140-150
Origin IQ JR	209	IQ 7/IQ 4.5	9 (129)	104-70-92	99-109-119-129-139

Dkb

Dkb - Via Antonio Labranca, 24 - 00123 Roma
tel. 0688543289 - fax 0630999597 - www.dkb-consulting.it - info@dkb-consulting.it



MODELLO	€	ATTACCO	RAGGIO m	SCIANCRAURA mm	LUNGHEZZE cm
DKB Race Carve	990	Vist412 personalizzato DKB	13	116-66-101	166-174
DKB Freeride	990	-	-	131-88-113	176-184

Dynafit

Oberalp SpA (Salewa) - Via Waltraud Gebert Deeg, 4 - 39100 Bolzano (BZ)
tel. 0471242900 - fax 0471200701 - www.dynafit.it - www.oberalp.it - info@salewa.it



MODELLO	€	ATTACCO	RAGGIO m	SCIANCRAURA mm	LUNGHEZZE cm
SKI RUNNING					
World Cup Race	1.000	-	24.5 (160)	96-65-78	160
Race Performance	550	-	24.5 (161)	96-65-78	161



MODELLO	€	ATTACCO	RAGGIO m	SCIANCRAURA mm	LUNGHEZZE cm
SPEED TOURING					
Broad Peak	500	-	18.0 (167)	112-74-96 (167)	149-158-167-176



MODELLO	€	ATTACCO	RAGGIO m	SCIANCRAURA mm	LUNGHEZZE cm
SKI TOURING					
Se7en Summits	400	-	16.75 (163)	113-78-100 (163)	149-156-163-170-178
Baltoro	450	-	19 (167)	115-84-102 (167)	149-158-167-176-181
Haute Route Plus Women	470	-	16.75 (163)	113-78-100 (163)	149-156-163-170



MODELLO	€	ATTACCO	RAGGIO m	SCIANCATURA mm	LUNGHEZZE cm
FREERIDE TOURING					
Mustagh Ata Superlight	500	-	21.8 (178)	118-88-110 (178)	161-169-178-187
Manaslu Women	550	-	19.0 (169)	118-92-104 (169)	161-169-178
Manaslu	550	-	21.0 (178)	122-95-108 (178)	161-169-178-187
Stoke	600	-	20.1 (173)	129-105-119 (173)	164-173-182-191

Dynamic

Amer Sports Italia - Via Priula, 78 31040 - Nervesa della Battaglia (TV)
tel. 04225291 - fax 0422529199 - www.dynamicski.com - www.amersports.com - amersports-italy@amersports.com










MODELLO	€	ATTACCO	RAGGIO m	SCIANCATURA mm	LUNGHEZZE cm
PERFORMANCE					
Victories	599	XTO 10 R Ome	11.5 (163)	-	149-156-163-170
LADY					
VR 21 Lt	399	XTO 10 R Ome	18 (176)	-	162-169-176-183
Night Elve Lt	299	XTO 10 Ome	12.0 (159)	-	152-159-166

Dynastar

Rossignol Sci Srl - S.S. 230, 34 - 13030 Formigliana (VC)
tel. 0161855513 - fax 01618555296 - www.dynastar.com - www.rossignol.com









MODELLO	€	ATTACCO	RAGGIO m	SCIANCATURA mm	LUNGHEZZE cm
SCI A NORMA FIS					
Speed Omeglass WC	1.284	PX Racing 15 Maxflex	13 (165)	120-65-102 (165)	150-165
Speed Course WC	1.284	PX Racing 15 Maxflex	>23 (182)	105-67-89 (182)	170-175-182-191
RACE CARVE					
Speed Omeglass TI	999	PX Racing 12	12 (165)	119-67-102 (165)	155-165
Speed Course TI	999	PX Racing 12	15 (177)	121-72-105 (171)	159-165-171-177-183
Speed Course Fluid	748	NX 12 Fluid	15 (171)	121-72-105 (171)	159-165-171-177-183
TURISMO					
Omedrive 8	358	NX 10 Fluid	14 (165)	120-72-100 (165)	146-152-158-165-172-178
Omedrive 7	310	Ccube	14 (165)	120-72-100 (165)	146-152-158-165-172
GRAN TURISMO					
Speed Limited	1.250	PX 12 TI Fluid	14 (172)	120-69-102 (172)	165-172
Speed Cross	638	NX 12 Fluid	15 (171)	121-72-105 (171)	159-165-171-177

	MODELLO	€	ATTACCO	RAGGIO m	SCIANCATURA mm	LUNGHEZZE cm
	Speed Groove	758	PX 12 Fluid	12 (165)	119-67-102 (165)	155-160-165-172
	Outland 80 Pro	718	PX 12 Fluid Medium	16 (178)	126-80-110 (178)	158-165-172-178-184
	Outland 80 XT	618	NX 12 Fluid Medium	16 (178)	126-80-110 (178)	158-165-172-178-184
	Outland 80	558	NX 11 Fluid	15 (178)	126-80-110 (178)	158-165-172-178-184
	Outland 75 XT	478	NX 11 Fluid	15 (166)	120-75-110 (166)	146-156-166-176
	Outland 75	438	NX 10 Fluid	14 (166)	120-65-102 (165)	146-156-166-176
	Outland 72	340	NX 10 Fluid	14 (165)	120-72-100 (165)	146-152-158-165-172-178






LEGEND

	Pro Model Aurelien Ducroz	nc	-	27 (192)	132-105-122 (192)	184-192
---	----------------------------------	----	---	----------	-------------------	---------




ALL MOUNTAIN

	Legend 85	800	PX 12 Fluid Medium	13 (172)	126-85-110 (172)	158-165-172-178-184
	Legend 85 Fluid	856	PX 12 Fluid Medium	13 (172)	126-85-110 (172)	158-165-172-178-184
	Legend 94	924	PX 12 Wide	18 (178)	132-94-118 (178)	165-172-178-184-189
	Legend Big Dump	1.262	Pivot 14 XXL	38	142-120-132	184-192
	Legend Pro Rider 115	1.062	Pivot 14 XXL	32 (184)	137-115-127 (184)	166-175-184
	Legend Pro Rider 105	938	PX 12 XXL	24 (184)	132-105-122 (184)	166-175-184-192




ALPINISMO

	Pierra Menta Pro Carbon	998	-	22 (160)	95-65-79 (160)	153-160
	Alti Patrouille Des Glaciers	598	-	24 (164)	92-65-82 (164)	164-169
	Alti Trail Mythic Light	558	-	21 (178)	122-89-110 (178)	165-172-178-184
	Alti Trail Powder	478	-	23 (170)	114-82-102 (170)	153-160-170-178
	Alti Trail Vertical Light	318	-	24 (170)	103-75-92 (170)	150-160-170

BACK COUNTRY

	6th Sense Huge	1.054	Pivot 14 XXL	33 (185)	140-115-130 (185)	175-185
	6th Sense Slicer	974	Pivot 14 XXL	23 (181)	132-98-120 (181)	161-169-175-181-187
	6th Sense Twister	944	Pivot 14	22 (175)	98-66-85 (175)	168-175-182

PARK & PIPE

	6th Sense Distorder	750	Pivot 12 Jib Medium	22 (179)	120-87-110 (179)	167-173-179-185
	6th Sense Superpipe	712	Pivot 14 Wide	20 (175)	112-78-102 (175)	155-165-175-182
	6th Sense Serial	374	NX 11 Medium	15 (168)	110-80-103 (168)	138-148-158-168-178



MODELLO	€	ATTACCO	RAGGIO m	SCIANCATURA mm	LUNGHEZZE cm
EXCLUSIVE TURISMO					
Active	478	Nova Exclusive Fluid	13 (163)	126-74-104 (163)	148-153-158-163-168
Active Dnstar	478	Nova Exclusive Fluid	13 (163)	126-74-104 (163)	148-153-158-163-168
Reveal	398	Nova Exclusive Fluid	13 (158)	124-73-100 (158)	143-148-153-158-163
Exclusive Reveal Dnstar	398	Nova Exclusive Fluid	13 (158)	124-73-100 (158)	143-148-153-158-163
Exclusive	318	Nova Exclusive	13 (158)	124-73-100 (158)	143-148-153-158-163
Exclusive Ccube	310	Nova Exclusive	13 (158)	124-73-100 (158)	143-148-153-158-163



EXCLUSIVE GRAN TURISMO					
Exclusive Elite Pro	812	NX Exclusive Fluid	11 (155)	119-67-102 (155)	155-160-165
Exclusive Elite	730	NX Exclusive Fluid	15 (171)	120-73-104 (171)	153-159-165-171
Exclusive Elite Dnstar	730	NX Exclusive Fluid	15 (171)	120-73-104 (171)	153-159-165-171
Exclusive Trendy	558	Nova Exclusive Fluid	13 (163)	126-74-104 (163)	148-153-158-163-168



EXCLUSIVE ALL MOUNTAIN					
Legend Paradise	794	PX 12 Wide	20 (169)	132-98-120 (169)	161-169-175
Legend Eden	738	NX Exclusive Lifter	16 (172)	126-85-110 (172)	152-158-165-172
Legend Eden Fluid	812	NX Exclusive Lifter	16 (172)	126-85-110 (172)	152-158-165-172
Legend Idyll	624	NX Exclusive Lifter	14 (164)	124-78-106 (164)	146-152-158-164-170
Legend Idyll Fluid	688	NX Exclusive Lifter	14 (164)	124-78-106 (164)	146-152-158-164-170



RACING JUNIOR					
Team Omeglass WC	550	PX Team	10 (146)	115-65-99 (146)	132-139-146-150
Team Course WC	550	PX Team	>17 (160)	105-66-87 (160)	135-140-145-150-155-160-167
Team Course Flat	400	Nova Team 7 Maxplate	16 (150)	105-66-87 (150)	140-145-150-155-160-165
Team Pro Flat	400	Nova Team 7 Maxplate	10 (140)	112-65-95 (140)	125-130-135-140-145



JUNIOR					
Team Comp	326	Nova Team 7 Maxplate	12 (150)	111-67-97 (150)	110-120-130-140-150
6th Sense Team	274	Nova Team 7+	10 (125)	104-74-98 (125)	105-115-125-135
Team Speed	210	Nova Team 7	-	108-68-94 (130)	100-110-120-130-140-150
Team Legend	210	Nova Team 7	-	108-68-94 (130)	100-110-120-130-140-150
Starlett	210	Nova Team 7	-	108-68-94 (130)	100-110-120-130-140-150
My First Starlette	160	Team 2RL	-	95-75-83	67-80-93
My First Team Speed	160	Team 2RL	-	95-75-83	67-80-93

Elan







Socrep Srl - Via Amaria, 13 - 39046 Ortisei (BZ)
tel. 0471797022 - fax 0471798651 - www.elanskis.com - www.socrep.it - info@socrep.it

MODELLO	€	ATTACCO	RAGGIO m	SCIANCATURA mm	LUNGHEZZE cm
---------	---	---------	-------------	-------------------	-----------------

















FIS RACE





























	FX DH FIS Plate	799	-	-	-	206-211-216
	FX SG FIS Plate	799	-	-	-	201-206-209
	GSX FIS Waveflex Plate	749	-	-	-	176-182-188-191
	SLX FIS Waveflex Plate	749	-	-	-	155-165














FIS RACE JR

	FX SGJ Plate	759	-	-	-	174-181-191
	RCG Waveflex Plate Duo	379	-	18.8 (168)	101-65-89	168-176
	RCG Waveflex Plate	359	-	14.2 (144)	101-65-89	138-144-152-160
	RCS Waveflex Plate Duo	379	-	11.6 (150)	110-65-97	150
	RCS Waveflex Plate	359	-	10.1 (140)	110-65-97	135-140-145
	RCX Plate	329	-	8.9 (130)	104-65-91	125-130

WAVEFLEX












	GSX WF FusionRS	799	ELX 14.0 Fusion	18.6 (176)	110-67-96	164-170-176-182
	SLX WF FusionRS	799	ELX 14.0 Fusion	12.1 (165)	116-66-104	155-160-165-170
	GS WF FusionRS	639	ELX 12.0 Fusion	18.6 (176)	110-67-96	164-170-176-182
	SL WF FusionRS	639	ELX 12.0 Fusion	12.1 (165)	116-66-104	155-160-165-170
	Wavemaster	879	ELX 12.0 Fusion	17.2 (170)	110-67-96	164-170-176
	SLD WF FusionRS	629	ELX 11.0 Fusion	11.5 (155)	116-65-104	150-155-160-165
	Amphibio WF 14 Fusion	859	ELX 12.0 Fusion	15.7 (176)	125-74-104	152-160-168-176
	Amphibio WF 82XTI Fus.	899	ELX 12.0 Fusion	17.4 (176)	128-82-109	160-168-176-182
	Waveflex 78 TI Fusion	659	ELX 12.0 Fusion	15.4 (168)	123-78-105	160-168-176-182
	Amphibio WF 12 Fusion	719	ELX 11.0 Fusion	15.7 (176)	125-74-104	152-160-168-176
	Waveflex 78 Fusion	589	EL 11.0 Fusion	15.4 (168)	123-78-105	152-160-168-176
	Waveflex 10 Fusion	539	EL 10.0 Fusion	13.1 (160)	123-72-105	152-160-168-176
	Waveflex 8 QT Orange	439	EL 10.0 QT	13.1 (160)	122-73-102	152-160-168-176
	Waveflex 8 QT Green	439	EL 10.0 QT	13.1 (160)	122-73-102	152-160-168-176
	E/Flex 6 Orange QT	359	EL 10.0 QT	13.5 (160)	117-72-102	144-152-160-168
	E/Flex 6 Erise QT	359	EL 10.0 QT	13.5 (160)	117-72-102	144-152-160-168


























	MODELLO	€	ATTACCO	RAGGIO m	SCIANCATURA mm	LUNGHEZZE cm
	E/Flex 4 Plate Red	263	EL 10.0 Black/Red	10.7 (144)	117-72-102	144-152-160-168
	E/Flex 4 Plate Green	263	EL 10.0 Black/Smo.	10.7 (144)	117-72-102	144-152-160-168
MONDO FREE						
	Olympus Mons	719	Resort Rocker	23.9 (183)	140-110-130	176-183-190
	Spire	699	Resort Rocker	23.0 (181)	130-98-120	175-181-187
	Apex	599	Resort Rocker	21.1 (177)	128-88-108	159-168-177-186
	Boomerang	599	BC Rocker	27.7 (190)	140-120-130	168-181-190
	Chain Saw	579	BC Rocker	27.6 (182)	130-105-122	168-175-182-187
	Bliss	599	BC Rocker	25.1 (175)	130-105-114	155-165-175
	Zeal	599	Resort Rocker	15.2 (168)	128-88-108	152-159-168
	Puzzle	419	Jib Rocker	16.1 (171)	121-87-113	156-166-171-176-181
	Slingshot	309	Jib Rocker	15.2 (16)	117-85-112	156-161-166-171-176
	Twist	309	Jib Rocker	12.9 (12.9)	115-83-110	149-156-161-166-171
	Pinball	259	Jib Rocker	13.8 (155)	116-83-111	155-165-175
	Moxi	259	Jib Rocker	13.8 (155)	116-83-111	145-155-165-175
	Puzzle Pro	319	Jib Rocker	13.9 (146)	110-80-100	136-146
	Pinball Pro QT	239	EL 4.5 QT	6.8 (105)	106-80-102	105-115
	Pinball Pro QT	259	EL 7.5 QT	10.9 (135)	110-81-105	125-135-145
	Petite QT	239	EL 4.5 QT	6.8 (105)	106-80-102	105-115
	Petite QT	259	EL 7.5 QT	10.9 (135)	110-81-105	125-135-145
WOMEN						
	Amphibio Insomnia Fus.	719	ELW 11.0 Fusion	14.6 (168)	125-74-104	152-158-166
	Speed Magic Fusion	629	ELW 11.0 Fusion	11.5 (155)	116-78-105	150-155-160-165
	Pure Fusion	579	ELW 11.0 Fusion	13.8 (158)	123-78-105	152-158-166
	Inspire Fusion	539	ELW 9.0 Fusion	10.6 (146)	123-72-105	152-158-166
	Mystic Fusion	479	ELW 9.0 Fusion	11.0 (146)	123-73-102	146-152-158-166
	Black Magic QT	419	ELW 9.0 QT	11.0 (146)	119-72-100	140-146-152-158
	Crystal QT	359	ELW 9.0 QT	10.7 (146)	117-72-102	140-146-152-158
	Snow TMD	319	ELW 9.0 TMD	10.7 (146)	114-70-100	140-146-152-158
JUNIOR						
	RC Race QT	239	EL 4.5 QT	6.2 (110)	114-70-98	110-120











	MODELLO	€	ATTACCO	RAGGIO m	SCIANCERATURA mm	LUNGHEZZE cm
	Rc Race QT	259	EL 7.5 QT	8.9 (130)	115-71-100	130-140-150
	Formula Green QT	159	EL 4.5 QT	4.0 (80)	95-66-86	70-80-90
	Formula Green QT	179	EL 4.5 QT	7.0 (110)	105-67-93	100-110-120
	Formula Green QT	199	EL 7.5 QT	13.1 (150)	109-67-95	130-140-150
	Formula GX QT	159	EL 4.5 QT	4.0 (80)	95-66-86	70-80-90
	Formula GX QT	179	EL 4.5 QT	7.0 (110)	105-67-93	100-110-120
	Formula GX QT	199	EL 7.5 QT	13.1 (150)	109-67-95	130-140-150
	Pinball Team QT	159	EL 4.5 QT	4.0 (80)	95-66-86	70-80-90
	Pinball Team QT	179	EL 4.5 QT	7.0 (110)	105-67-93	100-110-120
	Pinball Team QT	199	EL 7.5 QT	13.1 (150)	109-67-95	130-140-150
	Lil' Magic QT	159	EL 4.5 QT	-	-	70-80-90
	Lil' Magic QT	179	EL 4.5 QT	-	-	100-110-120
	Lil' Magic QT	199	EL 7.5 QT	-	-	130-140-150

Fischer

Project 2010 Srl - Via Ludovico di Breme, 26 - 20156 Milano (MI)
tel. 023087341 - fax 0233431480 - www.fischer.it - www.project2010.it - project2010@fischersports.it












	MODELLO	€	ATTACCO	RAGGIO m	SCIANCERATURA mm	LUNGHEZZE cm
WORLD CUP						
	RC4 Worldcup GS Men	790	-	>27	-	183-186-190
	RC4 Worldcup GS Women	670 790	-	>23	-	175-180-183
	RC4 Worldcup SL Men	790	-	FIS	-	165
	RC4 Worldcup SL Women	790	-	FIS	-	155
RACE						
	RC4 Worldcup RC Pro	945	RC4 z 13 Flowflex 2.0	17 (175)	116-71-100 (175)	166-170-175-180-185
	RC4 Worldcup SC Pro	945	RC4 z 13 Flowflex 2.0	12 (165)	122-69-103 (165)	150-155-160-165-170
	RC4 Superior	806	RSX 12 Flowflex 2.0	15 (170)	122-72-104 (170)	155-160-165-170-175
	RC4 Superrace RC	705	RC4 z 11 Powerrail	17 (170)	112-69-98 (170)	160-165-170-175-180
	RC4 Superrace SC	705	RC4 z 11 Powerrail	14 (165)	117-67-99 (165)	150-155-160-165-170
HIGH PERFORMANCE						
	Progressor 900	762	RSX 12 Flowflex 2.0	13/17 (170)	121-75-104 (170)	160-165-170-175-180
	Progressor 800	710	RSX 12 Powerrail	12/15 (165)	122-74-103 (165)	150-155-160-165-170-175

	MODELLO	€	ATTACCO	RAGGIO m	SCIANCATURA mm	LUNGHEZZE cm
	Progressor 700	569	RS 10 Powerrail	14/17 (165)	120-73- 103 (165)	150-155-160- 165-170-175
	RC4 Supercompetition	459	RS10 Powerrail	15 (165)	115-68- 99 (165)	150, 160-165- 170-175
SPORT PERFORMANCE						
	Viron 4.4 White/Orange	479	RS 10 Powerrail	16 (165)	117-70- 100 (165)	150-155-160- 165-170
	Viron 4.4 Black/Blue	479	RS 10 Powerrail	16 (165)	117-70- 100 (165)	150-155-160- 165-170
	Viron 2.2 Black/Red	392	RS 10 Powerrail	15 (165)	116-72- 102 (165)	140-145-150-155- 160-165-170
	Viron 2.2 White/Green	392	RS 10 Powerrail	15 (165)	116-72- 102 (165)	140-145-150-155- 160-165-170
	RX Force FP9	277	RS 10	14 (160)	114-70- 100 (160)	140-145-150-155- 160-165-170
WOMEN MY STILE SPORT						
	Pure My Style	364	V9 My Style	15 (155)	114-72- 101 (155)	140-145-150- 155-160
WOMEN MY STILE ADVENTURE						
	Koa 75 My Style	532	V9 My Style	16 (155)	119-75- 102 (155)	150-155- 160-165
	Koa 73 My Style	364	V9 My Style	15 (155)	116-73- 102 (155)	150-155- 160-165
ALL MOUNTAIN PERFORMANCE						
	Motive 80	792	RSX 12 Powerrail Wide 88	17 (175)	122-80- 110 (175)	161-168- 175-182
	Motive 76	667	RS 11 Powerrail	16 (168)	122-76- 106 (168)	154-161- 168-175
	Motive	423	RS 10 Powerrail	15 (165)	120-74- 104 (165)	150-155-160- 165-170
FREESKI						
	Watea 120	990	X17 Xfat 130	32 (189)	141-120- 128 (189)	179-189
	Watea 114	990	X17 Xfat 130	27 (186)	146-114- 128 (186)	176-186
	Watea 101	924	X13 Fat 115	23 (182)	134-101- 124 (182)	172-182-192
	Watea 98	924	X13 Fat 115	21 (180)	130-98- 122 (186)	166-176-186
	Watea 94	899	X13 Wide 97	21 (178)	130-94- 118 (178)	170-178-186
	Watea 88	835	X13 Wide 97	19 (176)	128-88- 115 (176)	160-168- 176-184
	Watea 84	732	X11 Wide 90	18 (176)	128-84- 112 (176)	159-167- 176-184
	Maven	577	X11 Wide 90	20 (170)	119-88- 112 (170)	160-170-180
	Guru	434	X9 Wide 90	18 (168)	112-82- 178 (168)	158-168-178
	Prodigy	308	X7 Wide 90	12 (145)	110-80- 104 (145)	135-145-155
	Stunner	235	X7 Wide 90	10 (131)	106-72- 99 (131)	101-111- 121-131
TOUR						
	Tour X-Superlight	567	-	18 (170)	119-82- 106 (170)	156-163- 170-177

	MODELLO	€	ATTACCO	RAGGIO m	SCIANCERATURA mm	LUNGHEZZE cm
	Tour RCX	640	-	22 (160)	97-64-78 (160)	150-160
	Tour X-Tralite "H.K."	499	-	17 (165)	106-69-92 (165)	150-155-160-165-170-175
	Tour X-Ceed	514	-	18 (170)	119-82-106 (170)	156-163-170-177
	Tour X-Pression	430	-	18 (170)	113-75-100 (170)	149-156-163-170-177
	Tour X-Treme	237	-	16 (160)	111-72-98 (160)	140-150-155-160-165-170-175
JUNIOR/KIDS						
	RC4 Worldcup GS JR	363 420	-	-	-	130-135-140...165-170
	RC4 Worldcup SL JR	363 420	-	-	-	130-135-140-145-150
	RC4 Superrace Jr	314 322	RC4 z 9/ FJ Jr. Rail	11 (130)	110-66-93 (130)	110-120-130-140-150-160
	RC4 Race JR/ Progressor JR	171 215	FJ7/FJ7 Junior Rail	14 (140)	106-67-92 (140)	70-80-90...140-150
	Koa JR	171 215	FJ7 Junior Rail/ FJ4 Junior Rail	14 (140)	106-67-92 (140)	70-80-90...140-150




Head

Mares SpA - Salita Bonsen, 4 - 16035 Rapallo (GE)
tel. 01852011 - www.head.com - www.mares.com - info-head@it.head.com





	MODELLO	€	ATTACCO	RAGGIO m	SCIANCERATURA mm	LUNGHEZZE cm
RACING SUPERSHAPE						
	Worldcup i.SL	750	-	13 (165)	117-66-100 (165)	155-160-165-170
	Worldcup i.Speed	750	-	18 (180)	112-66-94 (180)	165-170-175-180-185
	i.Supershape Titan	685	-	13.5 (170)	128-78-114 (170)	156-163-170-177
	i.Supershape Magnum	685	-	13.5 (170)	121-71-107 (170)	149-156-163-170-177
	i.Supershape Speed	685	-	14.6 (170)	116-68-100 (170)	156-163-170-177-184
	i.Supershape	685	-	12.1 (170)	121-66-106 (170)	155-160-165-170-175
X-SHAPE						
	X-Shape MTX	705	Head PRD 12	12.9 (170)	120-72-109 (170)	149-156-163-170-177
	X-Shape STX	705	Head PRD 12	12.1 (170)	124-68-108 (170)	149-156-163-170-177
CHIP						
	Chip 71	1.100	Head PRD 14	13.5 (170)	121-71-107 (170)	156-163-170-177
	Chip 66	1.100	Head PRD 14	13.4 (170)	118-66-102 (170)	152-158-164-170-176
GTO						
	GTO 200	1.060	GTO 15	17.6 (200)	118-63-100 (200)	170-180-190-200

MODELLO	€	ATTACCO	RAGGIO m	SCIANCURATURA mm	LUNGHEZZE cm
---------	---	---------	-------------	---------------------	-----------------





ALL MOUNTAIN GROOMER

	Icon TT 800	740	Head PRD 12	13.4 (170)	118-66-102 (170)	152-158-164-170-176
	Icon TT 500	580	Head PR 11	14 (170)	116-67-100 (170)	146-152-158-164-170-176
	Icon TT 300	440	Head PR 11	15.3 (170)	114-68-98 (170)	149-156-163-170-177




ALL MOUNTAIN FREERIDE

	i.Peak 90	690	-	16.1 (170)	132-89-115 (170)	163-170-177-184
	i.Peak 84	645	-	15.4 (170)	128-84-112 (170)	163-170-177-184
	i.Peak 78	740	Head PRD 12	14.6 (171)	124-78-110 (171)	159-165-171-177-183
	i.Peak 74	495	Head PR 11	14.1 (170)	121-74-107 (170)	149-156-163-170-177







BIG MOUNTAIN

	Boneshaker 125	790	-	32.3 (191)	146-125-135 (191)	191
	Kiss of Death 110	760	-	32 (181)	130-110-120 (181)	171-181-191
	Inferno 104	760	-	26 (181)	130-104-120 (181)	171-181-191
	Rock'n Roll 94	595	-	19.5 (180)	132-94-119 (180)	152-159-166-173-180-187


PARK & PIPE

	J.O. Pro	560	-	20.2 (181)	121-84-110 (181)	161-171-176-181
	GP 84	430	-	20.2 (181)	121-84-110 (181)	171-176-181
	SBC 79	305	-	19.1 (172)	121-84-110 (181)	154-163-172-181

WOMEN

	Mya n. 8	615	-	14 (163)	127-83-111 (163)	149-156-163-170
	Mya n. 7	830	Head Mya 12 PRD	13.3 (163)	115-68-99 (163)	156-163-170
	Mya n. 6	735	Head Mya 12 PRD	13.5 (165)	123-77-109 (165)	153-159-165-171
	Mya n. 5	655	Head Mya 10 PR	10.8 (156)	123-71-107 (156)	149-156-163
	Mya n. 4	490	Head Mya 10 PR	11.7 (156)	119-73-106 (156)	149-156-163
	Mya n. 3	400	Head Mya 9 LR	12 (156)	120-72-105 (156)	149-156-163

JUNIOR

	Worldcup Race	315	-	10.8 (140)	111-67-95 (140)	100-110-120-130-140-150-160
	Supershape LR	320	Head LR 7.5	9.7 (140)	112-65-96 (140)	120-130-140-150-160
	Supershape Team LR	205	Head LR 7.5	9.6 (127)	103-65-90 (127)	87-97-107
	Supershape Team LR	245	Head LR 4.5	9.6 (127)	103-65-90 (127)	117-127-137-147-157
	Mya n. 1 LR	205	Head LR 7.5	9.6 (127)	103-65-90 (127)	87-97-107



	MODELLO	€	ATTACCO	RAGGIO m	SCIANCRASTURA mm	LUNGHEZZE cm
	Mya n. 1 LR	245	Head LR 4.5	9.6 (127)	103-65-90 (127)	117-127-137-147-157
	CV 81	350	-	11.8(141)	116-81-106 (141)	131-141-151-161
	OM 74	285	-	12.5 (142)	109-74-98 (142)	133-142-151-160
	Mojo Jr	115	-	9.4 (127)	104-68-92 (127)	87-97-107
	Mojo Jr	145	-	9.4 (127)	104-68-92 (127)	117-127-137-147-157

K2

The Group Distribution Srl - Via Vignolese, 290 - 41054 Marano sul Tanaro (MO)
tel. 059744024 - fax 0597578228 - www.k2skis.com - info@thegroupdistribution.it

MODELLO	€	ATTACCO	RAGGIO m	SCIANCRASTURA mm	LUNGHEZZE cm
---------	---	---------	-------------	---------------------	-----------------






A.M.P. MEN'S ALL MOUNTAIN PERFORMANCE





























	Charger	789,75	Marker/ K2 MX 14.0	16 (174)	122-74-106	160-167-174-181
	Aftershock	906,75	Marker/ K2 MX 14.0	17 (174)	130-86-114	167-174-181
	Rictor	789,75	Marker/ K2 MX 12.0	16 (174)	127-80-109	160-167-174-181
	Impact	653,25	Marker/ K2 M3 11.0	16 (174)	127-80-109	153-160-167-174
	Velocity	594,75	Marker/ K2 M3 11.0	15 (174)	121-72-106	160-167-174-181
	Photon	507	Marker/ K2 M3 11.0	17 (174)	120-76-104	153-160-167-174
	Force	429	Marker/ K2 M3 10.0	17 (174)	118-74-103	146-153-160-167-174
	Stinger	370,50	Marker/ K2 M2 10.0	16 (177)	119-72-103	149-156-163-170-177

T9 SUPER MODELS ALL MOUNTAIN QUEENS

	Super Burnin	731,25	Marker/ K2 ERS 11.0 TC	12 (160)	121-72-106	146-153-160-167
	Super Free	624	Marker/ K2 ERS 11.0 TC	14 (160)	120-64-104	139-146-153-160-167
	Super One	507	Marker/ K2 ER3 10.0	12 (160)	121-72-106	139-146-153-160
	Super Ific	448,50	Marker/ K2 ER3 10.0	14 (160)	120-76-104	139-146-153-160
	Super Sweet	429	Marker/ K2 ER3 10.0	14 (160)	118-74-103	139-146-153-160
	Super Smooth	370,50	Marker/ K2 ERP 10.0	13 (163)	119-72-103	142-149-150-163

FACTORY TEAM

	HellBent	789,75 1.023,75	Flat/Griffon SchizoFrantic	22 (179)	160-132-151	169-179-189
	Obsethed	789,75 1.023,75	Flat/Griffon SchizoFrantic	23 (179)	146-117-134	169-179-189
	Kung Fujas	624,00 819,00	Flat/SchizoFrantic	19 (179)	133-102-127	169-179-189
	Recoil	487,50 672,75	Flat/SchizoFrantic	20 (179)	121-90-115	159-164-169-174-179
	Sight	370,50	-	20 (179)	118-85-109	149-159-169-179






	MODELLO	€	ATTACCO	RAGGIO m	SCIANCATURA mm	LUNGHEZZE cm
	Domain	419,25	-	21 (179)	115-90-115	159-169-179
	Press	341,25	-	23 (179)	113-85-104	149-159-169-179
	MissDirected	770,25	-	17 (159)	146-117-134	159-169
	MissBehaved	653,25	-	14 (159)	133-102-127	149-159-169
	MissDemeanor	448,50	-	15 (159)	121-90-115	149-159-169
	MissConduct	370,50	-	15 (159)	118-85-109	149-159-169
GROOMS						
	Bad Apple	292,50	-	12 (139)	128-100-122	139-149
	Bad Seed	302,25	FasTrack2 7.0	12 (139)	113-85-104	119-129-139-149
	Juvy	263,25	FasTrack2 7.0	12 (139)	100-75-96	119-129-139-149
	Missy	263,25	FasTrack2 7.0	12 (139)	100-75-96	109-119-129-139-149
	Indy System	157,95	FasTrack2 System 4.5&7.0	8 (112)	89-70-84	76-88-100-112-124-136
	Luv Bug System	157,95	Noodle FasTrack2 System 4.5 & 7.0	8 (112)	89-70-84	76-88-100-112-124-136
BACKSIDE ADVENTURE						
	Poon200N	731,25	-	30 (179)	157-132-122 (179)	169-179-189
	DarkSide	789,75	-	27 (181)	156-128-144	174-181-188
	SideStash	682,50	-	25 (181)	139-108-127	167-174-181-188
	HardSide	624	-	23 (181)	131-98-119	167-174-181-188
	SideShow	594,75	-	20 (181)	132-90-115	167-174-181-188
	CoomBack	653,25	-	22 (174)	135-102-121	167-174-181-188
	WayBack	546	-	22 (174)	124-88-108	160-167-174-181
	BackUp	487,50	-	19 (174)	124-82-105	160-167-174-181
	BackLite	429	-	17 (174)	118-74-103	153-160-167-174
	BackOut	329,55	-	18 (174)	114-72-99	144-153-160-167-174
	SideKick	672,75	-	21 (167)	139-108-127	153-160-167-174
	BrightSide	594,75	-	16 (167)	132-90-115	153-160-167-174
	Got Back	624	-	20 (167)	135-102-121	146-153-160-167-174
	TalkBack	507	-	20 (167)	124-88-108	153-160-167
	She'sBack	448,50	-	16 (167)	121-80-107	153-160-167
	BackTrack	409,50	-	15 (167)	118-74-103	153-160-167

MODELLO	€	ATTACCO	RAGGIO m	SCIANCRASTURA mm	LUNGHEZZE cm
---------	---	---------	-------------	---------------------	-----------------




Movement

Boardcore Srl - Via E. Oldofredi, 41 - 20124 Milano (MI)
tel. 026686558 - fax 0266800814 - www.movementskis.com - info@boardcore.it

FREESKI MAN

	Le Fer	741	-	13 (163)	124-77-108 (163)	156-163-170-177
	Yaka	514	-	14 (166)	126-75-107 (166)	157-166-175
	Zip	524	-	15 (174)	127-80-108 (174)	165-174-183
	Jam	534	-	16 (173)	136-85-117	164-173-182
	Source	598	-	18 (177)	135-94-121 (177)	169-177-185-193






FREERIDE

	Sluff	640	-	21 (174)	134-99-118	174-184
	Trust	672	-	21 (186)	141-108-129 (186)	178-186-194
	Super Turbo	760	-	22 (192)	144-115-129 (192)	182-192-202




FREESKI GIRL

	Silk	492	-	14 (155)	126-75-107 (155)	147-155-164
	Naos	446	-	16 (158)	117-77-107 (158)	148-158-168
	Gloss	508	-	14 (164)	127-80-108 (164)	155-164-173
	Tattoo	598	-	17 (167)	134-94-120 (167)	159-167-175




ADVENTURE

	Spark	556	-	16 (163)	121-82-110 (163)	153-163-173-183
	Blaster	588	-	15 (165)	125-86-114 (165)	157-165-173-181
	Flair	579	-	15 (163)	125-86-114 (163)	155-163-171
	Pariah	611	-	22 (177)	126-93-114 (177)	170-177-185
	Jackal	643	-	22 (177)	136-105-124 (177)	170-177-185-192

X-SERIES

	Fish-x	799	-	24 (162)	98/93-65-79 (162)	156-162
	Random-x	802	-	18 (159)	115-76-105 (159)	151-159-167-175
	Logic-x	810	-	17 (168)	125-88-113 (168)	160-168-177-184

TOURING

	Random	539	-	18 (159)	115-76-105 (159)	151-159-167-175
	Natural	508	-	16 (155)	118-78-108 (155)	154-155-165-175
	Iki	548	-	20 (168)	117-80-105 (168)	158-168-178-185



MODELLO	€	ATTACCO	RAGGIO m	SCIANCATURA mm	LUNGHEZZE cm
Bond	569	-	18 (169)	119-84-108 (169)	161-169-177-183
Logic	559	-	17 (168)	125-88-113 (168)	160-168-177-184
Feather	534	-	18 (159)	115-76-105 (159)	151-159-167
Native	539	-	19 (158)	117-80-105 (158)	151-158-168

FREESTYLE



Zoo	405	-	19 (163)	114-84-105 (163)	155-163-170-177
El Loco	487	-	17 (163)	114-84-105 (163)	155-163-170-177
Mosquito	550	-	13 (172)	130-94-122 (172)	172-180
Scoop	560	-	20 (172)	132-102-122 (172)	164-172-180
Fly Swatteeer	742	-	17	150-125-145	185
Ghost	198 230	-	10.9 (135)	112-81.5-107 (135)	105-115-125-135-145-155

Nordica

Tecnica Group SpA - Via Fante d'Italia, 56 - 31040 Giavera del Montello (TV)
tel. 04228841 - fax 0422728697 - www.nordica.com - www.tecnicagroup.com

MODELLO	€	ATTACCO	RAGGIO m	SCIANCATURA mm	LUNGHEZZE cm
---------	---	---------	----------	----------------	--------------

AGGRESSIVE FRONTSIDE



Fire Arrow 74 Edt Xbi Ct	900	N Pro 2S Xbi Ct Wb	14.5 (172)	126-74-109 (172)	156-164-172-180
Fire Arrow 80 Pro Xbi Ct	840	N Pro 2S Xbi Ct Wb	14.5 (172)	132-80-115 (172)	156-164-172-180
Fire Arrow 80 Ti Xcb Ct	650	N Expert 2S Xbi Ct	14.5 (172)	132-80-115 (172)	156-164-172-180
Fire Arrow 74 Xbi Ct	550	N Expert 2S Xbi Ct	14.5 (172)	126-74-109 (172)	156-164-172-180
Unknown Legend Xbi Ct	650	N Expert 2S Xbi Ct	14.5 (172)	132-80-115 (172)	156-164-172-180
Cinnamon Girl Xbi Ct	550	N Expert 2S Xbi Ct	14.5 (172)	126-74-109 (172)	156-164-172-180
Fire Arrow 70 Fastrak	300	M7.0 Fastrak	13 (150)	113-70-99 (150)	130-140-150-160

FRONTRACE






Dobermann Spitfire Edt Xbi Ct	1.000	N Power 2S Xbi Ct	14 (170)	124-72-107 (170)	154-162-170-178
Dobermann Spitfire Pro Xbi Ct	860	N Pro 2S Xbi Ct	14 (170)	122-70-105 (170)	154-162-170-178
Dobermann Spitfire Xbi Ct	700	N Expert 2S Xbi Ct	14 (170)	122-70-105 (170)	154-162-170-178
Dobermann Spitfire J Fastrak	300	M7.0 Fastrak	13 (150)	113-70-99 (150)	130-140-150-160

WORLD CUP



Dobermann GS R Edt	nc	N Power 2S Xbi Ct	>=27 (186)	-	176-182-186-190
Dobermann SL R	nc	N Power 2S Xbi Ct	-	-	155-165

MODELLO	€	ATTACCO	RAGGIO m	SCIANCRASTURA mm	LUNGHEZZE cm
RACE					
	1.000	M12.0 Eps Marker Racing	19 (181)	111-67- 97 (181)	171-76- 181-186
	1.000	M12.0 Eps Marker Racing	13 (165)	120-67- 103 (165)	155-165-170
	nc	M12.0 Eps Marker Racing	>14 (156)	104-65- 89 (156)	135-142-149- 156-163-170
	nc	M12.0 Eps Marker Racing	>10 (136)	109-64- 94 (136)	122-129-136- 143-150
	210	M7.0 Fastrak	7 (110)	104-66- 92 (110)	70-80-90-100- 110-120-130-140
FREESKI					
	600	-	19.5 (177)	113-86- 113 (177)	163-170- 177-184
	700	N Power 2S Nfree Ct Wb	18 (170)	121-86-110	156-163- 170-177
	530	N Sport Xct Wb	16.6 (163)	120-84- 109 (163)	149-156-163- 170-177
	530	N Sport Xct Wb	16.5 (163)	120-84- 109 (163)	149-156-163- 170-177
	300	M7.0 Fastrak Wb	11 (128)	105-74- 96 (128)	108-118-128- 138-148
ALL TERRAIN FREESTYLE					
	880	N Free Ct Plate	18	157-127-146	185
	830	N Free Ct Plate	18 (185)	143-113-132	185-195
	780	N Free Ct Plate	18 (185)	134-97-124	177-185
SIDE COUNTRY					
	700	-	18 (185)	143-113-132	185-195
	600	-	19 (177)	135-98- 125 (177)	161-169- 177-185
	530	-	18 (178)	132-90-118	170-178-186
	470	-	17 (170)	126-84-112	162-170-178
	400	-	15.5 (170)	124-78-108	154-162- 170-178
ALL MOUNTAIN					
	700	N Expert 2S Xbi Ct	15 (170)	127-80-111	154-162- 170-178
	600	N Expert 2S Xbi Ct	15 (170)	123-76-107	154-162- 170-178
	470	N Sport Xbi Ct	15 (170)	123-76-107	154-162- 170-178
	400	N Sport Xct	15.5 (168)	122-74-105	152-160- 168-176
	350	N Sport Xct	16 (168)	116-72-100	152-160- 168-176
	700	N Expert 2S Xbi Ct WB	13.5 (162)	127-80-111	146-154-162- 170-178
	600	N Expert 2S Xbi Ct	15 (170)	123-76-107	154-162- 170-178
	470	N Sport Xbi Ct	13.5 (162)	123-76-107	146-154-162- 170-178



MODELLO	€	ATTACCO	RAGGIO m	SCIANCATURA mm	LUNGHEZZE cm
Hot Rod J Fastrak	210	M7.0 Fastrak	7 (110)	104-66-92 (110)	70-80-90-100-110-120-130-140
Infinite J Fastrak	210	M7.0 Fastrak	7 (110)	104-66-92 (110)	70-80-90-100-110-120-130-140

FREE RIDE

Girish	880	N Free Ct Plate	26 (185)	139-110-129	185-193
Enforcer	780	N Free Ct Plate	19 (177)	135-98-125 (177)	161-169-177-185
Nemesis	780	N Free Ct Plate	19 (177)	135-98-125 (177)	161-169-177-185

SPORT PERFORMANCE

Sportmachine 74 Xct	400	N Sport Xct	15 (168)	122-74-105	152-160-168-176
Sportmachine 70 Xct	350	N Sport Xct	16 (168)	116-70-100	152-160-168-176
Fate Xbi Ct	470	N Sport Xbi Ct	15 (170)	123-74-107	154-162-170-178
Amber Xct	400	N Sport Xct	13.5 (160)	122-74-105	144-152-160-168-176
Axana Xct	350	N Sport Xct	14 (160)	116-70-100	144-152-160-168-176

Rossignol

Rossignol Sci Srl - S.S. 230, 34 - 13030 Formigliana (VC)
tel. 0161855513 - fax 01618555296 - www.rossignol.com

MODELLO	€	ATTACCO	RAGGIO m	SCIANCATURA mm	LUNGHEZZE cm
---------	---	---------	----------	----------------	--------------

RACE EXPERT

































Radical Worldcup SL FIS iBox	1.284	Axial 2 Worldcup 150MFX	12 (165)	-	150 iBox racing/155-165 iBox
Radical Worldcup GS FIS iBox	1.284	Axial 2 Worldcup 150MFX	>27 (175/181)	-	175-182-185-191
Radical Worldcup GS FIS iBox Racing	1.000	Axial 2 Worldcup 150MFX	>23 (170/175/182)	-	170-175-182
Radical Worldcup GS Master	1.284	Axial 2 Worldcup 150MFX	18.5 (174)	116-70-98 (174)	174-185
Radical SL Pro Junior iBox Racing	600	Axial 2 Worldcup 120MFX	10.8 (150)	116-65.5-100	132-139-146-150
Radical GS Pro Junior iBox Racing	600	Axial 2 Worldcup 120MFX	17 (165)	104-65-89	135-140-145-150-155-160-165
Radical Pro Junior	400	Axium Jr Pro Race	10.6 (145)	115-64-95	125-130-135-140-145

RACE PERFORMANCE












9GS Ti Cascade TPX	1.000	Axial2 120S TPI2	18 (174)	118-72-100	162-168-174-180-186
9SL Ti Slant Nose TPX	1.000	Axial2 120S TPI2	11 (165)	124-70-112	155-160-165-170-175
8GS Cascade TPX	760	Axium 120S TPI2	18 (174)	118-72-100	162-168-174-180-186
8SL TPX	760	Axium 120S TPI2	11 (165)	124-70-112	155-160-165-170-175
7RSX Carbon TP12	630	Axium 110S TPI2	15 (172)	120-70-100	152-162-172







	MODELLO	€	ATTACCO	RAGGIO m	SCIANCRASTURA mm	LUNGHEZZE cm
ALL MOUNTAIN FRONTSIDE						
	Zenit Z82 Ti Basalt TPX	880	Axium 120L TPI2	17.5 (170)	128-82-112	162-170- 177-182
	Zenit Z76 Ti Basalt TPX	760	Axium 120S TPI2	13.5 (170)	127-76-108	154-162- 170-176
	Zenit Z76 Aramid Basalt TP1 ²	640	Axium 120S TPI2	13.5 (170)	127-76-108	154-162- 170-176
	Zenit Z72 Carbon TP1 ²	540	Axium 110L TPI2	16 (170)	120-72-100	154-162- 170-176
	Zenit Z72 X Carbon TP1 ²	540	Axium 110S TPI2	16 (170)	120-70-100	154-162- 170-176
	Zenit ZX 3D Carbon TP1 ²	440	Axium 100S TPI2	14 (165)	120-70-100	146-152-158- 165-172
	Zenit ZX 3D LTD	380	Axium 100S TPI2	14 (165)	120-70-100	146-152-158- 165-172
	Zenit ZS Carbon TP1 ²	314	Axium 100S TPI2	17 (172)	116-72-100	132-142-152- 162-172
	Zenit ZS Composite ZIP	294	Zip 100S	17 (170)	115-70-98	146-154- 162-170
	Zenit ZS LTD Open	276	Axium 100S	17 (170)	115-70-98	146-154- 162-170
ALL MOUNTAIN ROCKER						
	Experience 98 Open	880	Axial 2 120XL	19.9 (180)	139-98-128	172-180-188
	Experience 88 TPX	812	Axium 120L TPI2	16.4 (178)	135-88-124	162-170- 178-186
	Experience 88 Open	750	Axium 120L	16.4 (178)	135-88-124	162-170- 178-186
	Experience 83 TPX	690	Axium 120L TPI2	15.5 (176)	132-83-120	152-160-168- 176-184
	Experience 83 Open	630	Axium 120L	15.5 (176)	132-83-120	152-160-168- 176-184
	Experience 78 TP1 ²	570	Axium 110L TPI2	17 (174)	122-78-111	150-158-166- 174-182
	Experience 78 X TP1 ²	570	Axium 110L TPI2	17 (174)	122-78-111	150-158-166- 174-182
	Alias 74 Carbon TP1 ²	510	Axium 100L TPI2	15.2 (166)	120-74-110	136-146-156- 166-176
	Alias 74 LTD TP1 ²	450	Axium 100L TPI2	15.2 (166)	120-74-100	136-146-156- 166-176
	Alias 74 Zip	390	Zip 100L Zip	15.2 (166)	120-70-100	136-146-156- 166-176
FREERIDE						
	Super 7	1.300	FKS 140XXL	22.5 (195)	145-117-127	188-195
	S7	940	Axial2 120XXL	18 (188)	145-115-123	168-178-188
	S3	620	Axium 120ML	19 (168)	128-98-118	159-168- 177-186
	S7 Pro	530	Axium 110XL	14.6 (150)	120-90-113	140-150-160
PARK & PIPE						
	Sickle	930	Axial2 120XXL	21.3 (186)	140-110-133	174-186
	Scimitar	760	Axial2 120XXL	20.8 (178)	126-96-119	171-178-186
	Scratch	700	Axial2 120L	21,4 (181)	116-84-109	160-167- 174-181

	MODELLO	€	ATTACCO	RAGGIO m	SCIANCATURA mm	LUNGHEZZE cm
	Pro Model	750	Axial2 120L	21,4 (181)	115-64-95	160-167-174-181
	Storm	560	Axium 110XL	20 (170)	122-92-115	160-170-180
	Sprayer	390	Axium 100L	20 (168)	110-80-103	138-148-158-168-178





WOMEN ALL MOUNTAIN FRONTSIDE

	Attraxion 8 Echo	750	Saphir 110L TPI2	12,8 (162)	127-75-108	146-154-162
	Attraxion 6 Echo	630	Saphir 110S TPI2	13 (154)	120-72-100	146-154-162
	Attraxion 3 Echo	540	Saphir 110S TPI2	13 (154)	120-70-100	146-154-162
	Attraxion 3S	540	Saphir 110S TPI2	13 (154)	120-70-100	146-154-162
	Attraxion 1 WTP12	470	Saphir 90S TPI2	13 (154)	120-70-100	146-154-162
	Attraxion 1S WTP12	470	Saphir 90S TPI2	13 (154)	120-70-100	146-154-162
	Attraxion LTD	424	Saphir 90S TPI2	14 (165)	120-72-100	146-152-158-165
	Attraxion WTP12	380	Saphir 90S TPI2	12,8 (162)	116-72-100	132-142-152-162
	Attraxion Light WZIP	314	Zip Saphir 100S	13,4 (154)	115-70-98	146-154-162






WOMEN ALL MOUNTAIN ROCKER

	Temptation 88 Open	750	Axium 120L	15 (170)	135-88-124	154-162-170
	Temptation 82 WTP12	690	Saphir 110L TPI2	14 (168)	131-82-119	144-152-160-168
	Temptation 82 Open	630	Saphir 110L	14 (168)	131-82-119	144-152-160-168
	Temptation 78 WTP12	570	Saphir 110L TPI2	15,4 (166)	122-78-112	142-150-158-166-174
	Temptation 74 WTP12	440	Saphir 90S TPI2	15,2 (166)	120-74-110	136-146-156-166
	Temptation 74 Light WZIP	400	Zip Saphir 100L	15,2 (166)	120-74-110	136-146-156-166

WOMEN FREESKI

	S7 Women	940	Axial2 120XXL	14,8 (178)	140-110-118	168-178
	S3 Women	620	Axium 120L	17,5 (168)	124-96-114	159-168
	S2 Women	500	Saphir 110L	16,4 (160)	120-90-113	140-150-160-170
	Trixie Jib	360	Saphir 110L	14,6 (148)	110-80-103	138-148-158-168

JUNIOR

	Radical RSX	348	Axium Jr Pro Race 70S	9 (130)	111-67-97	110-120-130-140-150
	Radical J	178	Comp J 455	12 (140)	107-67-94	100-110-120-130-140-150
	Pro X1	178	Comp J 455	10,2 (130)	107-67-94	120-130-140-150
	Robot	178	Comp J 455 Robot	6 (110)	100-65-87	100-110
	Sprayer Pro	308	Axium JR 70L	9 (125)	104-72-98	105-115-125-135



MODELLO	€	ATTACCO	RAGGIO m	SCIANCRAURA mm	LUNGHEZZE cm
JUNIOR GIRLS					
Diva	304	Saphir 70S	9 (130)	111-67-97	110-120-130-140-150
Fun Girl	178	Saphir 45S	10.2 (130)	108-68-94	120-130-140-150
Princess	178	Saphir 45S	6 (110)	6 (110)	100-110

Salomon


























Amer Sports Italia - Via Priula, 78 - 31040 Nervesa della Battaglia (TV)
tel. 04225291 - fax 0422529199 - www.salomon.com - www.amersports.com - amersports-italy@amersports.com























MODELLO	€	ATTACCO	RAGGIO m	SCIANCRAURA mm	LUNGHEZZE cm
RACING					
S 2V Race Powerline	929	SZ14 Speed S75	17 (171)	112-68-98 (171)	164-171-178-185
S 2V Race Powerline	899	SZ12 Speed S75	17 (171)	112-68-98 (171)	164-171-178-185
S 3V Race Powerline	929	SZ14 Speed S75	12 (160)	118-67-102 (160)	155-160-165-170
S 3V Race Powerline	899	SZ12 Speed S75	12 (160)	118-67-102 (160)	155-160-165-170
S Mustang	849	SZ12 Speed S75	13.6 (162)	119-71-101 (162)	154-162-170-178
K Mustang	799	KZ12 B75	13.6 (162)	119-71-101 (162)	154-162-170-178
K X-kart	799	KZ12 B75	10.9 (157)	122-70-105 (157)	150-157-164-171
K 24 Hours	749	KZ12 B75	13.6 (162)	119-71-101 (162)	154-162-170-178
K 24 Daytona	619	KZ10 B80	11.7 (155)	119-70-102 (155)	148-155-162-169-176
K 24 GT Pro	499	KZ10 B80	13.9 (158)	117-73-100 (158)	144-151-158-165-172
H 24 Sport	429	JL10 B80	13.9 (158)	117-73-100 (158)	144-151-158-165-172






MODELLO	€	ATTACCO	RAGGIO m	SCIANCRAURA mm	LUNGHEZZE cm
ALL MOUNTAIN					
S Enduro XT 850	899	SZ14 Speed S90	15.6 (170)	127-83-110 (170)	163-170-177-184
S Enduro XT 850	889	SZ12 Speed S90	15.6 (170)	127-83-110 (170)	163-170-177-184
K Enduro XT 850	829	KZ12 B90	15.6 (170)	127-83-110 (170)	163-170-177-184
N Enduro XT 850	599	-	15.6 (170)	127-83-110 (170)	163-170-177-184
S Enduro XT 800	869	SZ14 Speed S80	14.6 (168)	125-79-107 (168)	154-161-168-175-182
S Enduro XT 800	849	SZ12 Speed S80	14.6 (168)	125-79-107 (168)	154-161-168-175-182
K Enduro XT 800	799	KZ12 B80	14.6 (168)	125-79-107 (168)	154-161-168-175-182
N Enduro XT 800	599	-	14.6 (168)	125-79-107 (168)	154-161-168-175-182
K Enduro RX 800	679	KZ12 B80	13.1 (161)	125-78-106 (161)	147-154-161-168-175
N Enduro RX 800	469	-	13.1 (161)	125-78-106 (161)	147-154-161-168-175
















	MODELLO	€	ATTACCO	RAGGIO m	SCIANCURATURA mm	LUNGHEZZE cm
	K	489	KZ10 B80	13.1 (161)	125-78-106 (161)	147-154-161-168-175
	H Enduro LX 750	379	JL10 B80	12.4 (160)	123-74-103 (160)	144-152-160-168-176
	H Enduro LX 730	349	JL10 B80	13.2 (158)	115-72-101 (158)	144-152-160-168-176
BBR						
	N BBR 8.9	729	-	12.5 (176)	147-88-110	166-176-186
	N BBR 7.9	599	-	11.3 (159)	136-79-98 (159)	149-159-169-179
FREE SKIS BIG MOUNTAIN						
	Rocker	799	-	48.5 (192)	147-127-137	192
	N Rocker 2	749	-	20.3 (180)	139-115-129 (180)	170-180-184-192
	N Twenty Twelve	499	-	19.7 (171)	123-91-116 (171)	163-171-179-186
	N Czar	699	-	40.0 (174)	128-108-118 (174)	166-174-182-190
	N Shogun	649	-	23.1 (173)	128-99-118 (173)	164-173-182-191
	N Lord	549	-	15.4 (169)	128-86-114 (169)	161-169-177-185
	N Knight	299	-	16.3 (161)	122-85-112 (161)	141-151-161-171-176
FREE SKIS BIG EXPLORING						
	N El Dictator	799	-	43.4 (194)	139-114-124	194
	N Sentinel	589	-	19.8 (177)	129-94-120 (177)	170-177-184-191
FREE SKIS PARK & PIPE						
	N Pro Pipe	549	-	18.0(171)	122-85-112 (171)	161-171-181
	N Suspect	449	-	17.3 (171)	122-86-115 (171)	151-161-171-176-181
	N Threat	329	-	16.3.(161)	122-85-112 (161)	141-151-161-171-176
WOMAN ALL MOUNTAIN						
	H Origins Bamboo	599	KZ10 TI B80	11.7 (152)	125-77-105 (152)	145-152-159-166
	H Intense Black	479	KZ10 TI B80	10.9 (151)	123-73-102 (151)	143-151-159-167
	H Origins Lava	429	L9 B80	10.9 (151)	123-73-102 (151)	143-151-159-167
	H Pure White	389	L9 B80	10.9 (151)	123-73-102 (151)	143-151-159-167
	H Origins Lime	389	L9 B80	10.9 (151)	123-73-102 (151)	143-151-159-167
	H Origins Lagoon	349	L9 B80	12.2 (151)	114-72-100 (151)	137-144-151-158-165
WOMAN BIG MOUNTAIN						
	N Geisha	599	-	20.6 (164)	126-97-116 (164)	153-164-173
	N Lady	499	-	13.6 (161)	128-85-113 (161)	153-164-173

	MODELLO	€	ATTACCO	RAGGIO m	SCIANCRASTURA mm	LUNGHEZZE cm
	N Galaxy	429	-	15.1 (161)	122-86-115 (161)	151-161-171
	N Vamp	299	-	14.2 (151)	122-85-112 (151)	141-151-161-171
JUNIOR						
	J 2V Race Jr	399	JZ11 B75	17.0 (158)	103-64-86 (158)	151-158-165
	H 2V Race Jr	369	JL10 JR B80	14.0 (137)	101-64-83 (137)	130-137-144
	J 3V Race Jr	399	JZ11 B75	11.0 (144)	110-64-93 (144)	144-151
	H 3V Race Jr	369	JL10 JR B80	10.0 (130)	105-63-88 (130)	130-137
	E Mini Kart	199	EL7 B80	13.0 (140)	107-65-88 (140)	140-150
	E Mini Kart M	179	EL7 B80	9.5 (120)	106-65-86 (120)	120-130
	E Mini Kart S	149	EC5	7.0 (100)	100-65-84 (100)	90-100-110
	FR Mini Kart Xs	129	FR C5 SR	4.5 (70)	91-65-75 (70)	70-80
	E Enduro Jr 800 L	199	EL7 B80	13.0 (140)	107-65-88 (140)	140-150
	E Enduro Jr 800 M	179	EL7 B80	9.5 (120)	106-65-86 (120)	120-130
	E Enduro Jr 800 S	149	EC5	7.0 (100)	100-65-84 (100)	90-100-110
	Fr Enduro Jr 800 Xs	129	FR C5 SR	4.5 (70)	91-65-75 (70)	70-80
	E Candy Jr L	199	EL7 B80	13.0 (140)	107-65-88 (140)	140-150
	E Candy Jr M	179	EL7 B80	9.5 (120)	106-65-86 (120)	120-130
	E Candy Jr S	149	EC5	7.0 (100)	100-65-84 (100)	90-100-110
	Fr Candy Jr Xs	129	FR C5 SR	4.5 (70)	91-65-75 (70)	70-80
	N Shogun Jr	169	-	15.5 (130)	106-80-98 (130)	110-120-130-140-150
	N Mai Tai Jr	169	-	15.5 (130)	106-80-98 (130)	110-120-130-140

Scott






Acerbis Italia Srl - Via Provinciale, 110 - 24021 Albino (BG)
tel. 035756104156 - fax 0357561122 - www.scott-sports.com - www.acerbis.it - info@acerbis.it









	MODELLO	€	ATTACCO	RAGGIO m	SCIANCRASTURA mm	LUNGHEZZE cm
FREESTYLE						
	Mega Dozer	619	-	15.5 (185)	141-119-133 (185)	175-185-195
	Dozer	579	-	15.7 (175)	131-98-127 (175)	165-175-185
	Punisher	499	-	14 (172)	126-86-113 (172)	162-172-182
	Jib	419	-	13.5 (168)	116-80-108 (168)	158-168-178

	MODELLO	€	ATTACCO	RAGGIO m	SCIANCATURA mm	LUNGHEZZE cm
ALL CONDITION						
	Reverse	599	-	14 (166)	126-86-166 (166)	156-166-176
	Neo	579	-	13 (166)	122-82-111 (166)	156-166-176-186
	Crusade	599	-	13.5 (169)	130-90-118 (169)	159-169-179-189
	Aztec	499	-	13 (165)	116-76-106 (165)	155-165-175-185
WOMEN						
	Luna	599	-	12 (156)	124-84-114 (156)	156-166
	Maya	445	-	13 (165)	116-76-106 (165)	155-165-175
	Rosa	579	-	13.2 (168)	126-86-113 (168)	158-168-178
	Lola	579	-	13.3 (165)	129-96-126 (165)	165-175
JUNIOR						
	Rook	339	-	12 (152)	126-88-114 (152)	142-152-162
	Rebel	339	-	11.5 (152)	112-78-108 (152)	142-152-162-172
	Rascal	179	-	8.2 (121)	106-70-99 (121)	101-111-121-131-141
FREERIDE						
	Mission	579	-	14.7 (178)	128-89-115 (178)	168-178-183
	Venture	619	-	16 (178)	134-96-121 (178)	168-178-188
TOUR - TELEMARK						
	Xplor'air	699	-	14 (165)	116-78-106 (165)	165-175
	Crus'air	729	-	15 (169)	128-90-115 (169)	169-179

Ski Trab














Ski Trab - Via Battaglione Tirano, 6 - 23032 Bormio (SO)
tel. 0342901650 - fax 0342905178 - www.skitrab.com - info@skitrab.com























	MODELLO	€	ATTACCO	RAGGIO m	SCIANCATURA mm	LUNGHEZZE cm
ULTRALIGHT						
	Race Aero World Cup	859,90	-	23.5 (164)	96-92-64-78 (164)	157-164-171
	Race Aero	729,90	-	23.5 (164)	96-92-64-78 (164)	157-164-171
	Sint Aero	699,90	-	21.8 (164)	105-102-73-89 (164)	157-164-171-178
ADVENTURE						
	Sintesi	429,90	-	21.8 (164)	105-102-73-89 (164)	150-157-164-171-178
	Freerando Light	569,90	-	20.5 (164)	112-110-79-96 (164)	157-164-171-178

	MODELLO	€	ATTACCO	RAGGIO m	SCIANCRASTURA mm	LUNGHEZZE cm
	Freerando	469,90	-	20.5 (164)	112-110-79-96 (164)	157-164-171-178
	Tour Rando	299,90	-	21.2 (164)	105-102-73-90 (164)	150-157-164-171-178
	Tour Rando XL	349,90	-	19.7 (164)	113-110-80-99 (164)	151-157-164-171-178
STELVIO						
	Stelvio Light	589,90	-	20.6 (171)	117-115-84-105 (171)	164-171-178-185
	Stelvio Light XL	599,90	-	19.5 (171)	125-123-90-112 (171)	164-171-178-185
	Stelvio Freeone	499,90	-	16.7 (171)	109-106-70-97 (171)	157-164-171-178-185
PIUMA EVO						
	Polvere	639,90	-	19.9 (171)	123-121-88-109 (171)	164-171-178-185
	Volare	659,90	-	24.2 (171)	129-127-99-116 (171)	164-171-178-185

Stoekli

Blue Leader Srl - Via S. Giustina, 10 - 36057 Arcugnago (VI)
tel. 0444961940 - fax 0444961940 - www.stoekli.ch - info@stoekli.it

	MODELLO	€	ATTACCO	RAGGIO m	SCIANCRASTURA mm	LUNGHEZZE cm
LASER FIS RACING						
	Laser DH	nc	-	>45	-	210-216
	Laser SG	nc	-	>33	-	201-210
	Laser GS Fis	nc	-	>27 (185)	102-68-88 (185)	170-175-180-185-190-195
	Laser SL Fis	nc	-	11 (155)	119-66-99	155-165
	Laser SX Fis	nc	-	>23 (180)	104-68-99	180-190
LASER						
	Laser GS	nc	-	17.1 (175)	115-68-96	165-170-175-180-185
	Laser SC	nc	-	13.5 (163)	122-72-104	149-156-163-170-177
	Laser SL	nc	-	12 (160)	119-66-99	150-155-160-165-170
	Laser SX	nc	-	15.6 (170)	120-70-99	154-162-170-178
	Laser CX	nc	-	13.7 (163)	116-69-100	149-156-163-170-177
SPIRIT						
	Spirit O Two	nc	-	12.8 (163)	126-75-108	156-163-170-177
	Spirit Globe	nc	-	14.4 (164)	120-72-103	152-158-164-170-176
	Spirit Motion	nc	-	12.7 (157)	118-69-98	149-157-165

	MODELLO	€	ATTACCO	RAGGIO m	SCIANCATURA mm	LUNGHEZZE cm
SINOX						
	Sinox	nc	-	12 (163)	123-72-107 (163)	149-156-163-170
	Sinox Motion	nc	-	12.9 (156)	112-67-97 (156)	149-156-163
ROTOR						
	Rotor 84	nc	-	19.5 (169)	116-84-106	161-169-177
	Rotor 80	nc	-	17.1 (163)	110-79-105 (163)	154-163-172
	Rotor 74	nc	-	10.5 (149)	121-74-108	149-159
	Rotor 72	nc	-	13.5 (167)	118-72-106	157-167-177
STORMRIDER						
	Stormrider 110TT	nc	-	27 (183)	136-110-124	174-183-192
	Stormrider Pro	nc	-	23.6 (178)	136-105-123	166-178-190-201
	Stormrider 95	nc	-	19.7 (174)	128-95-117	166-174-183-192
	Stormrider VXL	nc	-	17.6 (169)	126-87-111	159-169-179-189
	Stormrider LXL	nc	-	15.3 (162)	122-80-108	154-162-170
	Stormrider 78	nc	-	15.9 (166)	122-78-106	159-166-174-183
STORMRIDER TOUR						
	Stormrider Pit Pro III	nc	-	15 (160)	118-77-104	150-160-170-180
	Stormrider Tour Light	nc	-	16.5 (165)	112-72-98	155-165-175
KIDS RACE						
	Laser DHJ	nc	-	>27	-	193
	Laser GSJ	nc	-	14.5 (143)	104-68-90	134-143-152-161
	Laser SLJ	nc	-	10.4 (137)	112-66-94	130-137-144
	Laser SXJ Team	nc	-	10.8 (140)	111-67-95 (140)	120-130-140-150-160
KIDS FUN						
	Race Team	nc	-	6 (120)	104-66-92 (120)	70-80-90 ...140-150
	Sinox Team	nc	-	8 (120)	104-66-92 (120)	70-80-90 ...140-150
	Rotor Team	nc	-	10.9 (135)	112-81.5-107 (135)	125-135-145-155
	Rotor 68	nc	-	8.5 (117)	94-68-87 (117)	87-97-107-117-127-137

MODELLO	€	ATTACCO	RAGGIO m	SCIANCRASTURA mm	LUNGHEZZE cm
---------	---	---------	-------------	---------------------	-----------------




Volant

Amer Sports Italia - Via Priula, 78 - 31040 Nervesa della Battaglia (TV)
tel. 04225291 - fax 0422529199 - www.volantski.com - www.amersports.com - amersports-italy@amersports.com

ALL MOUNTAIN

	Copper 79	2.200	ZTL 11 OME	14 (167)	124,5-79-111,5 (174)	160-167-174-181
	Silver M 80	1.000	ZTL 11 OME	17 (165)	114-79-105 (165)	155-165-175
	Pure 71	nc	ZTL 11 OME	16 (175)	107-70-97 (165)	150-155-160-165-170-175-180

GROOMERS








	Platinum 76	1.500	ZTL 11 OME	-	-	155-160-165-170-175
	Loop 66	1.200	ZTL 11 OME	12 (155)	106-66-99 (155)	150-155-160
	White Gold 66	1.200	ZTL 11 OME	14 (165)	106-66-908 (165)	150-155-160-165-170-175

Völkl


Calzaturificio Dalbello Srl - Via Frattalunga, 12 - 31011 Casella d'Asolo (TV)
tel. 042355641 - fax 0423529301 - www.volkl.com - www.dalbello.it - info@dalbello.it

MODELLO	€	ATTACCO	RAGGIO m	SCIANCRASTURA mm	LUNGHEZZE cm
---------	---	---------	-------------	---------------------	-----------------




ALPINE SKI RACETIGER

	Racetiger GS Power Switch	1.159	iPT Motion	16.9 (170)	112-68-96	170-175-180
	Racetiger SL Power Switch	1.159	iPT Motion	12.9 (160)	115-66-98	155-160-165
	Racetiger Speedwall GS	949	rMotion	17.4 (170)	113-68-95	165-170-175-180-185
	Racetiger Speedwall SL	949	rMotion	13.1 (165)	120-66-101	150-155-160-165-170
	Racetiger RC Orange Psi	849	sMotion	16.1 (170)	117-69-99	160-165-170-175-180
	Racetiger RC White Psi	849	sMotion	16.1 (170)	117-69-99	160-165-170-175-180
	Racetiger SC Psi	849	sMotion	13.1 (165)	119-68-101	155-160-165-170-175


ALPINE SKI THE CODE

	Code Speedwall	949	rMotion	-	-	-
	Code Psi	849	sMotion	-	-	-

ALPINE SKI TIGERSHARK

	Tigershark 11 Feet Power Switch	1.279	iPT Speedride	15.2 (168)	121-75-104	161-168-175
	Tigershark 10 Feet	969	iPT Speedride	14.8 (168)	121-73-102	161-168-175
	Tigershark 8 Feet	879	iPT Motion	13.5 (161)	121-73-102	154-161-168-175

ALPINE SKI SENSOR

	Sensor 3	519	4Motion	12.7 (154)	119-72-102	148-154-161-168
---	-----------------	-----	---------	------------	------------	-----------------



MODELLO	€	ATTACCO	RAGGIO m	SCIANCATURA mm	LUNGHEZZE cm
Sensor 2	399	4Motion	12.7 (154)	119-72-102	148-154-161-168
Sensor 1	359	4Motion	12.2 (154)	116-68-100	148-154-161-168

ALPINE SKI THE GRIZZLY



The Grizzly	1.319	3Motion	170 (17.0)	131-89-114	163-170-177-184
-------------	-------	---------	------------	------------	-----------------

ALPINE SKI RIDE THE MOUNTAIN



RTM 84	999	iPT Wideride	16.9 (171)	129-84-111	166-171-176-181
RTM 80	899	iPT Wideride	15.6 (166)	126-80-107	161-166-171-176-181
RTM 77	689	iPT Wideride	15.1 (166)	122-77-107	161-166-171-176
RTM 75 IS	519	iPT Wideride	13.7 (159)	120-75-105	153-159-166-173
RTM 75	399	4Motion	13.7 (159)	120-75-105	153-159-166-173
RTM 73	359	3Motion	12.9 (159)	120-73-105	153-159-166-173

ALPINE SKI ATTIVA



Aurora	999	iPT Wideride	15.1 (161)	132-82-103	154-161-168
Tierra	859	iPT eMotion	13.2 (154)	129-78-99	147-154-161
Fuego	859	iPT eMotion	13.1 (151)	124-72-93	144-151-158-165
Sol	689	3Motion	13.2 (151)	126-75-96	144-151-158-165
Estrella Blue	519	3Motion	13.3 (151)	124-73-94	144-151-158-165
Estrella Green	519	3Motion	13.3 (151)	124-73-94	144-151-158-165
Aire	399	3Motion	11.5 (148)	115-69-100	142-148-154-161
Cielo	359	Motion LT	11.3 (148)	116-68-100	142-148-154-161

ALPINE SKI JUNIOR COLLECTION
























Racetiger GS	219	-	11.5 (140)	108-68-94	130-140-150-160
Racetiger SL	219	-	11.5 (140)	108-68-94	130-140-150-160
Junior Racetiger Red	135	-	12.4 (140)	104-67-92	130-140-150
Junior Racetiger Yellow Neon	135	-	12.4 (140)	104-67-92	130-140-150
Junior Motion Red	229	3Motion Junior	12.4 (140)	104-67-92	130-140-150
Junior Motion Yellow Neon	229	3Motion Junior	12.4 (140)	104-67-92	130-140-150
Chica	135	-	12.4 (140)	104-67-92	130-140-150
Chica Motion	229	3Motion Junior	12.4 (140)	104-67-92	130-140-150

FREESKI POWDER



Kuro	849	-	26.3 (185)	164-132-139	175-185-195
------	-----	---	------------	-------------	-------------

	MODELLO	€	ATTACCO	RAGGIO m	SCIANCRASTURA mm	LUNGHEZZE cm
	Shiro	689	-	26.4 (183)	151-119-135	173-183-193
FREESKI POWDER FREESTYLE						
	Chop Stick	689	-	28.4 (175)	148-128-148	175-185
FREESKI TITANAL FREESTYLE						
	Katana	849	-	25.8 (184)	143-112-132	177-184-191-198
	Mantra	689	-	25.8 (184)	132-98-118	163-170-177-184-191
	Kendo	659	-	24.1 (184)	132-98-118	163-170-177-184-191
FREESKI FREERIDE						
	Gotama	689	-	24.9 (178)	139-107-123	170-178-186-194
	Bridge	569	-	18.5 (171)	128-95-115	170-178-186-194
FREESKI GIRLS FREERIDE						
	Kiku	689	-	20.3 (162)	139-107-123	154-162-170-178
FREESKI GIRLS TITANAL FREESTYLE						
	Aura	689	-	20.2 (163)	131-96-114	156-163-170
	Kenja	649	-	15.9 (156)	131-96-114	149-156-163-170
FREESKI PARK & PIPE						
	Wall	509	-	18.2 (169)	115-87-115	161-169-177-185
	Ledge	309	-	18.8 (169)	111-84-111	148-155-162-169-176
	Alley	269	-	18.9 (168)	111-81-104	148-158-168-178
FREESKI GIRLS PARK & PIPE						
	Prl	309	-	16.9 (162)	111-84-111	148-155-162-169
	Gem	269	-	16.3 (158)	111-81-104	148-158-168
FREESKI JUNIOR						
	Shiro Jr	429	-	17.5 (153)	132-100-116	143-153-163
	Gotama Jr	249	-	14 (148)	113-80-105	118-128-138-148-158
	Wall Jr	159	-	6 (98)	96-66-89	88-98-108
	Prl Jr	199	-	12.3 (138)	104-72-97	118-128-138-148
TOURING SKI TOUR FREE RIDE						
	Nunataq	720	-	24.9 (178)	139-107-123	170-178-186-194
	Nanuq	619	-	24.6 (177)	131-96-114	163-170-177-184



MODELLO	€	ATTACCO	RAGGIO m	SCIANCRAURA mm	LUNGHEZZE cm
TOURING SKI TOUR UNIVERSAL					
Amaruq	599	-	19.9 (170)	127-88-109	163-170-177-184
Amaruq Eco	859	-	19.9 (170)	127-88-109	163-170-177-184
Inuk	599	-	20.3 (170)	120-83-106	163-170-177-184
Mauja	519	-	17.9 (163)	116-78-102	156-163-170-177



TOURING SKI TOUR EASY					
Qanik	339	-	14.5 (163)	118-74-103	156-163-170-177
Nukka	339	-	13.1 (156)	118-74-103	149-156-163



TOURING SKI TOUR SUPER LIGHT					
Massak	559	-	19.2 (158)	104-70-90	158-168

